



Commission de Surveillance  
du Secteur Financier

Key Information  
Document

Practical and  
technical  
guidance

# Key Information Document

## Practical and technical guidance

## TABLE OF CONTENTS

1. Glossary .....	5
1.1. Glossary .....	5
2. Introduction.....	5
3. eDesk application .....	6
3.1. Authentication and connection.....	6
3.2. eDesk dashboard homepage.....	6
3.3. Access to procedures.....	7
3.4. KID submission .....	7
3.4.1. Procedure dashboard .....	7
3.4.1.1. Submission of Key Information Documents (KIDs) .....	8
3.4.1.2. Consultation of Key Information Documents (KIDs).....	10
4. S3 File collection .....	10
4.1. S3 system reporting technical specifications.....	10
4.1.1. Reporting file.....	11
4.1.1.1.1.Reporting format .....	11
4.1.1.2. Naming conventions.....	11
4.1.1.3. Submission process.....	12
4.1.1.4. ZIP technical specifications .....	12
4.1.2. CSSF feedback file.....	13
4.1.2.1. Naming convention .....	13
4.1.2.2. File content.....	13
4.1.2.2.1.Report status .....	14
4.1.2.2.2.ReportUids previously processed.....	14
4.1.2.2.3.Feedback message at report level .....	14
4.2. Reporting entities obligations .....	15
4.2.1. Data quality.....	15
4.2.2. Review the feedback files and correct the rejected reports.....	15
4.3. Testing with CSSF.....	15
5. Contact information .....	16

## Update information

Date	Version	Changes
<b>16/10/2024</b>	1.0	Publication of the document

# 1. Glossary

## 1.1. Glossary

Notion	Definition
<b>Bucket</b>	A bucket is a container for objects. S3 stores data as objects within buckets. An object is a file and any metadata that describes the file. Each entity manages its own separate buckets to be used for each report type.
<b>IFMs</b>	Investment Fund Managers
<b>IT Expert</b>	The "IT Expert" is an eDesk specific role that is granted by the "Advanced User" of the entity to the person managing access to the S3 API. A person with this role is responsible for creating, viewing and revoking access keys.
<b>S3</b>	S3 – or "simple storage service" – is the object storage protocol (through a web service interface) used by the CSSF for the file exchange. In this context, S3 simply refers to the protocol for managing object storage and does not rely on any services provided by commercial cloud providers.
<b>UCI</b>	Undertakings for Collective Investment
<b>KID</b>	Key Information Document

## 2. Introduction

The general objective of this document is to provide practical and technical information on the Key Information Document submission to CSSF.

All the entities concerned by KID submission must provide a document to CSSF when they establish or update them. It is strongly recommended that all entities send us every year their documents, even if they have not been updated. This will help to have a reliable statistical database on which to carry out consistent analyses.

The entities subject to the External Asset Managers reporting can submit it through 2 channels: via online form filling (eDesk procedure) or by S3 submission.


The KID received are then sent for publication to Fundsquare.

## 3. eDesk application

### 3.1. Authentication and connection

The person in charge of submitting the document is required to have an eDesk account (available with a LuxTrust authentication) and must be linked to the relevant entity. Further details can be found in the User Guide (“Authentication and user account management”) from the dedicated section of the CSSF eDesk Portal homepage: <https://edesk.apps.cssf.lu/edesk-dashboard/dashboard/getstarted>.

### 3.2. eDesk dashboard homepage




The eDesk homepage screen is split as follows:

- The **Header** is the upper part of the screen where you can find:
  - The navigation menu that shows several useful links. “**CSSF.lu**” sends you back to the CSSF website. “**About the CSSF**” and “**Privacy policy**” send you to the dedicated CSSF website sections respectively about CSSF itself and its privacy policy.
  - The **language option** is available on each screen and it is possible to switch between languages throughout the authentication procedure.
  - The “**Log in**” button takes you to the screen to be used to connect to the eDesk portal.
  - The “**Procedures**” button that takes you to the “Log in” page if you are not connected yet or the procedures list.
- The **Toolbox** gathers several e-services (applications) that do not require an authentication.
- The **News** section presents the latest information related to eDesk.

### 3.3. Access to procedures

Click on the "Access to procedures" button and search for the KID deposit operation using the 'Investment funds and vehicles / Investment fund managers' filter.




To access the procedure, click on the hyperlink "Key Information Document (KID PRIIPs/KID)".

### 3.4. KID submission

#### 3.4.1. Procedure dashboard

When accessing the procedure, a top banner contains several links and useful information:

- a link to the global eDesk Dashboard (by clicking on the "eDesk" logo).
- a link to the CSSF website ("Site cssf.lu").
- a drop-down list of languages available in the app.
- a drop-down menu for the user profile and the logout button.




The main part of the page has two links enabling you to submit one or more KID corresponding to the entity for which you are responsible, and to view a summary of all the KID that have previously been submitted, with the usual filtering and sorting functionalities.

### 3.4.1.1. Submission of Key Information Documents (KIDs)


There are four main stages in filing a KID. To make it easier to process your KID, it is strongly advised to use the following nomenclature for all your KID: "DOCREP-ENNNNNNNN-CCCCCCCC-PPPP-YYYY-MM-DD-KI-LL-nnnn".

To start the submission process, click on the "Submit a KID" button:



#### 1. Entity selection

In the first step, the user must select the entity for which they need to submit a KID. The list of all the entities with which he has a relationship is displayed. The user selects one of the entities and clicks on the 'Submit' button to move on to the next step.





## 2. Upload of KIDs

This view allows the user to upload the document in pdf format. Click on the 'Browse your documents' button to access your local directory and select the document to upload. Once the document has been added, click on the 'Next' button to confirm the details of the uploaded document.

Procedure for submitting Key Information Documents (KIDs)

**Important information**  
To facilitate the processing of your KIDs, we strongly advise you to use the following nomenclature :  
DOCREP-0NNNNNNNN-CCCCCCCC-PPPP-YYYY-MM-DD-R3-LL-NNNN

1 Entity selection    2 Upload of KIDs    3 Update of KIDs    4 Summary and submit KID

Upload of KIDs

O1 - GOLDMAN SACHS FUNDS V

Add your KIDs in the section below :

Drag and drop files  
or  
[Browse your files](#)

(Format accepted: PDF / Maximum size: 2MB)

[Back](#)    [Next](#)

## 3. Update of KIDs


This step allows you to update the various pieces of information associated with the KID that has been filed: sub-fund, share class, document date, language, and to specify whether it is a PRIIPs or not. It is also an opportunity to mention the various additional share classes associated with the KID that has been filed. In this case, click on the "Add a share class" button and select the appropriate share type from the list.

If multiple documents are added at the same time, it is possible to duplicate the document date, language and PRIIPS label. Simply select the checkbox associated with this label.

If all the information is complete, click on the 'Submit' button to move on to the next step.

1 Entity selection    2 Upload of KIDs    3 Update of KIDs    4 Summary and submit KID

Update of KIDs

 **DOCREP-00000001-00000003-0008-2024-01-31-KI-EN-0000.pdf** [delete document](#)

Sub-fund  
O1-3 - GOLDMAN SACHS PATRIMONIAL AGGRESSIVE

Unit/Share class  
O1-3-08 -I CAPITALISATION [delete](#)

+ Add a Unit/Share class

Date of document: 31/01/2024    Language: EN    PRIIPs:

[Back](#)    [Next](#)

#### 4. Summary and submit KIDs

This view provides a summary of the information on the document(s) that have been submitted. It is still possible to update these information by clicking on the action buttons in the corresponding column. Two actions are possible: 'Modify the information' and 'Delete the document'.

If all the information meets the user's expectations, click on the 'Submit' button to submit the KID definitively.

Procedure for submitting Key Information Documents (KIDs)

Your KIDs have been successfully updated  
You have completed all the information required to submit your KIDs. They are listed in the table below and will be submitted.

Entity selection    Upload of KIDs    Update of KIDs    Summary and submit KID


Summary of uploaded KID

KID name	Sub-fund	Unit/Share class	Date of document	Language	PRIIPs	Status	Action
DOCREP-000000001-00000003-0008-2024-01-31-KI-EN-0000.pdf	GOLDMAN SACHS PATRIMONIAL AGGRESSIVE	I CAPITALISATION	31/01/2024	EN	YES	In progress	

Total number of elements: 1 of 1

Back    Submit

A confirmation pop-up is displayed. When the 'Send' button is clicked again, the submission confirmation message is displayed.



#### 3.4.1.2. Consultation of Key Information Documents (KIDs)

The second link "View all submitted KIDs" allows you to view all the KIDs filed for the entity. KIDs are displayed from the most recent to the oldest date. This space allows you to consult the KIDs you have transferred, as well as all the KIDs transmitted by the various other people in your entity.

## 4. S3 File collection

### 4.1. S3 system reporting technical specifications

Method of transmitting reports via Application Programming Interface can be found on our website following the [link](#).

In the eDesk IT management console, the 'IT Expert' must create a bucket 'Key Information Document (KID PRIIPs/KID)'.

## 4.1.1. Reporting file

### 4.1.1.1. Reporting format

The Key Information Document shall be reported in the PDF format. A JSON containing information about the KID and the submitting entity must be added to the PDF.

The JSON and the PDF must be compressed in a ZIP format.

During the file submission the system performs a check on the zip naming and format and its contents.

#### **Key Information document JSON schema :**

The schema concerning the reporting is available at: [JSON Schema](#)

### 4.1.1.2. Naming conventions

- **ZIP file**

The mandatory file naming convention for .zip files is specified below.

Format: **KIDFUND-ENNNNNNNN-UUID.ext**

Code	Meaning	Structure	Authorised value
<b>KIDFUND</b>	Reporting type	Char(7)	'KIDFUND' (constant)
-	Separator	Char(1)	'-' (constant)
<b>E</b>	Reporting entity	Char(1)	Entity type : 'O', 'K', 'V'
<b>NNNNNNNN</b>	Identification number	Number (8)	00000001...99999999 (CSSF code of the entity)
-	Separator	Char(1)	'-' (constant)
<b>UUID</b>	Unique identifier (ReportUid)	UUID format	<a href="#">Unique identifier following the rfc 4122 norm</a>
<b>.ext</b>	Extension	Char(5)	.zip (constant)

## **UUID specificities**

The **UUID** is necessary to uniquely identify a report. It is also used to prevent a file to be processed several times.

A ZIP file with the same UUID of another ZIP file concerning the same entity will be rejected with the error KIDFUND006 (cf. [chapter 4.1.2.2.3](#)).

The expected format of an UUID is:

XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX

where each X data can have a value from 0 to 9 or from a to f (hexadecimal authorised characters).

You can find more information about the UUID on [Universally Unique Identifier \(UUID\)](#).

- **JSON report**

No specific naming convention will apply for the JSON file included in the zip file.

- **PDF file**

The pdf file must be transmitted with the naming convention "*DOCREP-ENNNNNNNN-CCCCCCC-PPPP-YYYY-MM-JJ-KI-LL-0000.pdf*".

Example:

Archive	KIDFUND_O0000NNNN-4823ac4f-0175-449e-af97-83ec72dfc805. <b>zip</b>
JSON report	report. <b>json</b>
PDF file	DOCREP-O0000NNNN-00000002-0010-2024-12-31-KI-FR-0000. <b>pdf</b>

### **4.1.1.3. Submission process**

The ZIP file **MUST** be uploaded to the "submission" folder in S3. No upload is allowed into other folders (e.g. "feedback" folder is only dedicated to CSSF feedbacks).

### **4.1.1.4. ZIP technical specifications**

Reporting file must be transmitted via a compressed .zip format containing one single .json file and all eligible KIDs in pdf format.

Here are the specifications for ZIP archive:

Compression algorithm	RFC 1951 (DEFLATE Compressed Data Format Specification version 1.3)
Multi-volume archives (multi-part zipfile)	No
Maximum size of a file in the archive	N/A
Codepage	UTF-8

## 4.1.2. CSSF feedback file

It is up to the submitter to monitor transmission correctness.

A feedback file in JSON format is systematically generated for each file transmitted and made available in the “feedback” folder.

The schema concerning the data of the generated feedback is available in the [CSSF feedback file](#).

Please ensure that you have received a feedback file for the last file sent before submitting a new file concerning a same entity. Feedback generation could take some time. If you do not receive a response within one working day, please contact our dedicated support team at [edesk@cssf.lu](mailto:edesk@cssf.lu).

### 4.1.2.1. Naming convention

The feedbacks from the CSSF are received in the “feedback” folder of the S3 transfer client.

Format: **SourceFileName\_FEEDBACK\_TrackingCode.json**

Code	Meaning	Structure	Authorised value
<b>SourceFileName</b>	Reporting entity	Char(N)	Submitted file name - Refer to the ZIP File name structure in section 4.1.1
–	Separator	Char(1)	`_` (constant)
<b>FEEDBACK</b>	File type	Char(8)	FEEDBACK (constant)
<b>TrackingCode</b>	Unique identifier	Char(20)	Unique identifier created by the CSSF system after file submission KIDFUNDYYYYMMDDXXXXX where: YYYYMMDD: year, month and day of submission XXXXX: daily increment
–	Separator	Char(1)	`_` (constant)
<b>.ext</b>	Extension	Char(5)	.json (constant)

### 4.1.2.2. File content

A feedback file contains several information:

- A status at the report level;
- ReportUids previously processed;
- Feedback messages at the report level.

#### 4.1.2.2.1. Report status

The report status can have two different values:

- REJECTED when the report is entirely rejected. That is the case when the archive is not technically compliant.
- ACCEPTED when the archive is technically compliant and all the relevant data to be included in the report have been correctly reported.

#### 4.1.2.2.2. ReportUids previously processed

The feedback file lists the unique identifiers (reportUid) of the last reports concerning the fund in the CSSF processing order (most recent report at the top of the list).

#### 4.1.2.2.3. Feedback message at report level

If a report has the ACCEPTED status, a feedback message with the "KIDFUND000" code is sent.

If a report has the REJECTED status, the possible errors at report level, are listed in the table below with the severity "ERROR".

#### **Feedback messages**

Error code	Error message
KIDFUND000	'The submission has been accepted by the CSSF'
KIDFUND001	'The archive is corrupted'
KIDFUND002	'The archive name is invalid. The expected naming convention must follow : %s'
KIDFUND003	'The archive size cannot exceed 200 MB
KIDFUND004	'The submitter is not authorised to transmit the archive for this entity'
KIDFUND005	'The entity defined in the naming convention is not in scope'
KIDFUND006	'The archive with uuid has already been received for this entity'
KIDFUND007	'The archive must contain a single JSON file'
KIDFUND008	'JSON file does not respect JSON Schema'
KIDFUND009	'The universal unique identifier '%s' in the JSON file is different from the universal unique identifier used in the archive name'
KIDFUND010	'The CSSF code of the entity in the JSON file is different from the CSSF code of the entity code used in the archive name'
KIDFUND011	'The file name in the JSON file must be unique'
KIDFUND012	'The file name is invalid. The expected naming convention must follow : %s'
KIDFUND013	'The CSSF entity code defined in the file name 'filecssfentityCode' is different to the code 'entityCssfCode''
KIDFUND014	'The referenced file is missing from the archive'
KIDFUND015	'The part type is not in the scope '%s'
KIDFUND016	'The file in the archive must be in PDF format'
KIDFUND017	'The reference for a share class
KIDFUND018	'Number of files into the archive cannot exceed %s files'
KIDFUND019	'The file '%s' is not referenced in the json'

KIDFUND020	'The file '%s' is corrupted'
------------	------------------------------

## 4.2. Reporting entities obligations

### 4.2.1. Data quality

Entities are strongly advised to review and validate the reporting files (ZIP and JSON files) before any submission.

Files must be validated against the JSON schema provided by the CSSF.

### 4.2.2. Review the feedback files and correct the rejected reports

Entities must ensure that all feedback files are properly analysed and that any rejected data are corrected and resubmitted.

## 4.3. Testing with CSSF

CSSF offers a connectivity check for entities to test their reporting file submissions through the S3 solution before moving to production.

A connectivity check is highly recommended before the Go-Live.

Besides the main "Key Information Document (KID PRIIPs/KID)" service, a dedicated "Echo Service" is at your disposal to ensure the good connectivity between your entity and our systems.

The authentication steps are similar to the regular report in regard to getting the credentials (cf. chapter 2.3.4 in [this file](#)) and uploading a file (cf. chapter 2.3.5 in [this file](#)).

The "IT Expert" has to create a new access on the "Echo" bucket that is presented below in order to get the right S3 credentials.

Create new access

Scope

Echo

Key Information Document (KID PRIIPs/KID)

You can upload a dummy file to the "submission" folder. If the connectivity check is completed, you will get a dummy feedback file as confirmation in the "feedback" folder.

Please note that this service remains always available.

In case you are unable to connect to the Echo Service or that you are not receiving any feedback, please contact [edesk@cssf.lu](mailto:edesk@cssf.lu).

## 5. Contact information

If you have any questions, please contact [edesk@cssf.lu](mailto:edesk@cssf.lu).

To facilitate the processing of your request, please provide the entity's CSSF code and name.